



Municipality of Metropolitan Seattle

Industrial Waste • 130 Nickerson St., Suite 200 • Seattle, WA 98109-1658 • (206) 689-3000

March 27, 1992

Gerald A. Thompson
Industrial Waste Assistant
Alaska Copper Works
P.O. Box 3546
Seattle, WA 98124

Dear Mr. Thompson:

I have received and reviewed your request dated March 12, 1992 to reduce the self monitoring frequency for the Alaska Copper Works facility located at 3600 East Marginal Way South, Seattle, Washington.

Since the facility operates infrequently and there have been no violations for over three years, I approve your request to reduce the monitoring required in waste discharge permit no. 7201 to one daily composite per month. This requirement becomes effective April 1, 1992 and shall remain in effect until the permit expires.

If you have any questions please call me at 689-3009.

Sincerely,

A handwritten signature in cursive script that reads "Christie J. True".

Christie J. True
Senior Industrial Waste Investigator
Environmental Programs Division

cjt23/lg-tacw

ALASKAN *Works* COPPER

Factory
3200 Sixth Avenue South • Seattle, Washington
TWX 910-444-2095
Telex: 32-0318 FAX: (206) 382-7346

Mailing Address:
P.O. Box 3546 • Seattle, Washington 98124
Telephone: (206) 623-5800

March 12, 1992

Ms. Christie True
Metro Industrial Waste Section
Senior Industrial Waste Investigator
130 Nickerson Street, Suite #200
Seattle, WA. 98109-1658


Dear Ms. True:

The purpose of this letter is to request a revision to Alaskan Copper Works Metro Waste Discharge Permit for 3600 East Marginal Way South, (permit #7201).

The permit currently requests that Alaskan Copper Works take composite samples twice per month. At the present time, the tank at 3600 location is only open for a few days a month. I would like to revise permit #7201 to have one composite sample per month.

If you have any questions or need further information, please feel free to call me at 623-5800, Ext.# 218.

Very truly yours,



Gerald A. Thompson
Industrial Waste Assistant

GAT:sw